

# FLETCHER YODER

A Professional Corporation

Attorneys at Law

7915 FM 1960 West, Suite 330  
Houston, Texas 77070

Post Office Box 692289  
Houston, Texas 77269-2289

Telephone (281) 970-4545  
Facsimile (281) 970-4503

[faries@fyiplaw.com](mailto:faries@fyiplaw.com)

MICS:0117  
02-1051

December 12, 2006

Via Facsimile - 571-273-6500

Mail Stop 16

Director of the U.S. Patent and Trademark Office

P.O. Box 1450

Alexandria, VA 22313-1450

**BEST AVAILABLE COPY**

Re: U.S. Patent Application No. 10/765,481 of Paul Shirley et al.,  
Entitled: "Method and Apparatus for a Two-Step Soft Bake to Prevent  
ILD Outgassing During Semiconductor Processing"

Dear Sir/Madam:


We hereby request a refund in the amount of \$330.00 to our deposit account number 061315 due to an improper charge of \$330.00 on November 29, 2006.

On November 6, 2006, we filed an Appeal Brief for the above-referenced patent application. The total amount charged for filing this Brief was \$500.00, which was charged to our American Express Credit Card on November 13, 2006. However, our deposit account was charged \$330.00 on November 29, 2006 for the same case. We believe that the \$330.00 should be refunded to our deposit account.

Please find the following attached documents: (1) copy of the Appeal Brief as filed; (2) copy of the PTO-2038 that was filed on November 6, 2006, authorizing the Patent Office to charge \$500.00 to our American Express credit card; (3) our American Express statement with a circle around the amount of \$500.00 charged on November 13, 2006; and (4) our deposit account statement with a circle around the incorrect charge amount totaling \$330.00.

If you have any questions or comments, please do not hesitate to call.

Sincerely yours,



F. Clay Faries

FCF/db

Attachments

cc: Janet Lamp

Angela Ashby

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Paul Shirley et al.

Serial No.: 10/765,481

Filed: January 27, 2004

For: METHOD AND APPARATUS FOR A  
TWO-STEP RESIST SOFT BAKE TO  
PREVENT ILD OUTGASSING DURING  
SEMICONDUCTOR PROCESSING§  
§ Group Art Unit: 2823  
§  
§  
§§ Examiner: Toledo, Fernando L.  
§  
§§ Atty. Docket: MICS:0117/FLE/FAR  
§ 02-1051  
§  
§Mail Stop Appeal Brief-Patents  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450CERTIFICATE OF MAILING  
37 C.F.R. 1.8I hereby certify that this correspondence is being deposited with the U.S.  
Postal Service with sufficient postage as First Class Mail in an envelope  
addressed to: Mail Stop Appeal Brief-Patents, Commissioner for Patents,  
P.O. Box 1450, Alexandria, VA 22313-1450, on the date below:

November 6, 2006

Date

  
Michael G. Fletcher**APPEAL BRIEF PURSUANT TO 37 C.F.R. §§ 41.31 AND 41.37**

This Appeal Brief is being filed in furtherance to the Notice of Appeal mailed on  
September 1, 2006, and received by the Patent Office on September 6, 2006.

The Commissioner is authorized to charge the requisite fee of \$500.00 for the  
Appeal Brief, and any additional fees which may be required, to the credit card listed on  
the attached PTO-2038. However, if the PTO-2038 is missing, if the amount listed  
thereon is insufficient, or if the amount is unable to be charged to the credit card for any  
other reason, the Commissioner is authorized to charge Deposit Account No. 06-1315;  
Order No. MICS:0117:FLE/FAR (02-1051).

Serial No. 10/765,481  
Appeal Brief  
Page 2

1. **REAL PARTY IN INTEREST**

The real party in interest is Micron Technology, Inc., the Assignee of the above-referenced application by virtue of the Assignment to Micron Technology, Inc. recorded at reel 014930, frame 0703, and dated January 27, 2004. Accordingly, Micron Technology, Inc., will be directly affected by the Board's decision in the pending appeal.

2. **RELATED APPEALS AND INTERFERENCES**

Appellants are unaware of any other appeals or interferences related to this Appeal. The undersigned is Appellants' legal representative in this Appeal.

3. **STATUS OF CLAIMS**

Claims 1-12 are currently pending, are currently under final rejection and, thus, are the subject of this Appeal.

4. **STATUS OF AMENDMENTS**

As the instant claims have not been amended at any time, there are no outstanding amendments to be considered by the Board.

5. **SUMMARY OF CLAIMED SUBJECT MATTER**

The present invention relates generally to the fabrication of integrated circuits and, more particularly, to soft baking a semiconductor wafer so that photo resist layers are free of surface voids or craters. Application, page 2, lines 8-10. The present

Serial No. 10/765,481  
Appeal Brief  
Page 3

application contains two independent claims, namely, claims 1 and 12, both of which are the subject of this Appeal. The subject matter of these two independent claims is summarized below. Further, the subject matter of dependent claims 9 and 10 are also summarized.

### *Independent Claims*

Independent claim 1 recites a method of soft-baking a semiconductor wafer substrate, including: soft-baking a substrate (e.g., semiconductor wafer 10 having a substrate 12) coated with a resist (e.g., photoresist 18) at a first temperature (e.g., within a range of 30-75 °C) for a first predetermined period of time (e.g., within a range of 30-90 seconds); and then soft-baking the substrate coated with the resist at a second higher temperature (e.g., within a range of 90-150 °C) for a second predetermined period of time (e.g., within a range of 90-150 °C). *See, e.g.,* Application, page 7, lines 7-18; page 9, lines 12-21; page 10, lines 15-23; Figure 1.

Independent claim 12 recites a semiconductor wafer (e.g., wafer 10) having a resist layer (e.g., photo resist 18) without craters at the completion of a two-part soft bake of the semiconductor wafer. *See, e.g.,* page 7, line 7 – page 9, line 23; page 10, line 15 – page 11, line 21; Figure 1-3.

Serial No. 10/765,481  
Appeal Brief  
Page 4

***Dependent Claims 9 and 10***

Claim 9 depends from the method of claim 1 and recites that the higher temperature is in the range of 100-130 °C. *See, e.g.*, page 11, lines 17-21. Claim 10 depends from claim 1 and recites that the second predetermined period of time is less than 90 seconds. *See, e.g., id.*

6. **GROUND OF REJECTION TO BE REVIEWED ON APPEAL**

**First Ground of Rejection for Review on Appeal:**

Appellants respectfully urge the Board to review and reverse the Examiner's first ground of rejection in which the Examiner rejected claims 1-8, 11, and 12 under 35 U.S.C. § 102(b) as being anticipated by pages 429, 434-437, 452, and 453 of Wolf and Tauber (Silicon Processing for the VLSI Era Volume 1: Process Technology), hereinafter "Wolf."

**Second Ground of Rejection for Review on Appeal:**

Appellants respectfully urge the Board to review and reverse the Examiner's second ground of rejection in which the Examiner rejected dependent claims 9 and 10 under 35 U.S.C. 103(a) as being unpatentable over Wolf as applied to claims 1-7.

7. **ARGUMENT**

As discussed in detail below, the Examiner has improperly rejected the pending claims. Further, the Examiner has misapplied long-standing and binding legal precedents

Serial No. 10/765,481  
Appeal Brief  
Page 5

and principles in rejecting the claims under Sections 102 and 103. Accordingly, Appellants respectfully request full and favorable consideration by the Board, as Appellants strongly believe that claims 1-12 are currently in condition for allowance.

A. Ground of Rejection No. 1

Claims 1-8, 11, and 12 were rejected under 35 U.S.C. 102(b) as being anticipated by Wolf. Claims 1 and 12 are independent. Appellants respectfully traverse this rejection.

*Legal Precedent*

Anticipation under Section 102 can be found only if a single reference shows exactly what is claimed. *Titanium Metals Corp. v. Banner*, 778 F.2d 775, 227 U.S.P.Q. 773 (Fed. Cir. 1985). Every element of the claimed invention must be identically shown in a single reference. *In re Bond*, 910 F.2d 831, 15 U.S.P.Q.2d 1566 (Fed. Cir. 1990). The prior art reference must show the *identical* invention "*in as complete detail as contained in the ... claim*" to support a *prima facie* case of anticipation. *Richardson v. Suzuki Motor Co.*, 9 U.S.P.Q. 2d 1913, 1920 (Fed. Cir. 1989) (emphasis added).

Further, during patent examination, the pending claims must be given an interpretation that is reasonable and consistent with the specification. See *In re Prater*, 415 F.2d 1393, 1404-05, 162 U.S.P.Q. 541, 550-51 (C.C.P.A. 1969); see also M.P.E.P. §§ 608.01(o) and 2111. Indeed, the specification is "the primary basis for construing the

Serial No. 10/765,481  
Appeal Brief  
Page 6

claims." See *Phillips v. AWH Corp.*, No. 03-1269, -1286, at 13-16 (Fed. Cir. July 12, 2005) (citations omitted).

### *Independent Claims 1 and 12*

Independent claims 1 and 12 recite a *two-step soft-bake*. The two-step soft-bake is employed to inhibit the formation of resist craters. See, e.g., Application, page 9, line 12 – page 10, line 13. As disclosed, the initial first-step bake of the claimed soft-bake is performed at a temperature lower than traditional soft-bake temperatures. *Id.* In the subsequent second bake, the wafer is then subjected to a higher and more traditional soft-bake temperature. *Id.* As described in the specification, the inhibition of crater formation resulting from a two-step soft bake having a lower temperature in the first-bake step may be explained by one or more theories. See, e.g., Application, page 9, line 12 – page 10, line 13; see also *Phillips*, at 16 (explaining that one should rely heavily on the written description for guidance as to the meaning of the claims).

One disclosed theory is that the initial lower-temperature bake drives the solvents (but not air) out of the resist, making the resist less fluid. *Id.* Thus, when the wafer is then baked at the subsequent regular and higher temperature, the resist has solidified enough so that the air can not pass through the resist which could cause resist craters. *Id.* A second theory is that the lower bake temperature allows the resist to remain fluid long enough so that the air, as it expands, can pass through the resist layer. *Id.* Then, the resist flows back to its original conformal shape. *Id.* During the subsequent higher temperature bake, the amount of air has been reduced to the point where the air does not

Serial No. 10/765,481  
Appeal Brief  
Page 7

have the energy to pass through the hardening resist to cause resist craters. *Id.* Again, consequently, with the novel two-step soft-bake, as disclosed and claimed, the lower bake temperature of the first step inhibits formation of resist craters.

In contrast, the Wolf reference is absolutely devoid of a *two-step* soft-bake or any discussion of the formation of resist craters as related to the soft bake. Instead, Wolf teaches the typical *single-step* soft-bake and does not resolve resist crater formation. See pages 434-436; Fig. 14. To be sure, while Wolf also teaches a post-bake (which occurs after the soft-bake and after the resist has been exposed), Wolf does not even contemplate a *two-step* soft-bake. See Wolf, pages 434-437 and 452; Fig. 14 (disclosing only a single-step soft-bake); Application, page 4, lines 1-5; page 5, lines 1-2; page 8, lines 8-9 and 14-15; page 9, lines 15-19 (discussing an embodiment of a two-step soft bake). Therefore, the Wood reference cannot anticipate the present claims 1-12.

Previously, the Examiner incorrectly pointed to the Wolf post-bake as a second step of a soft bake. See, e.g., Office Action Mailed November 9, 2005, page 2. However, in the "Response of Arguments" section of the Final Office Action, the Examiner changed his argument and focused instead on the infrared single-step soft-bake of Wolf. See Final Office Action, page 6 (citing Wolf, page 437 and Figure 12 (c)). Surprisingly, the Examiner argued that the time required for the wafer to reach the soft-bake temperature is somehow a separate soft-bake step, as claimed. See *id.* Indeed, the Examiner contended incorrectly that the ramp-up portion of the temperature curve of Fig. 12 (c) represents baking the Wolf wafer at a first temperature for a first predetermined



Serial No. 10/765,481  
Appeal Brief  
Page 8

period of time. Yet, one of ordinary skill in the art would *not* view the warm-up of the wafer (or the cool-down of the wafer for that matter) as a separate and distinct soft-bake step conducted at a different temperature at a predetermined period of time, as claimed.

A wafer in any single-step soft bake, such as in the Wolf IR system, will generally warm to the desired bake temperature and then cool at the conclusion of the bake. Such behavior (a transition temperature region) could also be seen in the claimed two-step soft-bake, e.g., before and after each of the two baking steps. However, the two recited steps of claim 1 are not directed to the warm-up or other temperature transition of the wafer. Instead, claim 1 clearly recites a two-step soft bake, where the wafer is baked at "a first temperature for a first predetermined period of time" and at "a second *higher* temperature for a second predetermined period of time." Wolf fails to disclose these features.

Indeed, the Examiner cannot legitimately argue that the infinite number of instantaneous temperatures experienced by the Wolf wafer (during the temperature ramp of the Wolf wafer) can be a selected bake temperature for a predetermined period of time. Further, with regard to the specific numerical values (for temperature and time) mentioned by the Examiner, Appellants note that independent claims 1 and 12 do not recite numerical values or ranges. *See* Final Office Action, page 6. In view of the foregoing, Appellants respectfully assert that the Examiner has failed to establish a case of anticipation.

Serial No. 10/765,481  
Appeal Brief  
Page 9

***Claim Interpretation***

In addition, in view of the *Phillips* case cited above, Appellants believe that the Examiner has improperly ignored the present specification in interpreting the claims. Indeed, the Examiner has imposed an awkward interpretation on the present claims in an effort to render the claims anticipated. For example, the Examiner failed to recognize the clear embodiments of the two-step soft-bake process described in the specification which support and provide context/interpretation of the present claims. Indeed, the specification clearly explains that a two-step soft bake is employed in lieu of the traditional single-step soft bake to avoid the formation of resist craters. *See, e.g., Application, page 9, lines 12-21.* As discussed above, the initial step of the two-step soft bake, as disclosed and claimed in the present application, is performed at a lower temperature to inhibit formation of resist craters in the subsequent second step at the higher temperature of a soft bake. *See, e.g., Application, page 9, line 12 - page 10, line 13.*

Again, it should be emphasized that each step of the two-step soft bake, as claimed, are performed at predetermined periods of time. Indeed, a period of time is required for the first step so that no resist craters are formed in the subsequent second step at the higher temperature bake. *See, e.g., Application, page 10, lines 1-13.* In stark contrast, the Wolf reference discloses an infrared (IR) heating method (relied on by the Examiner) that is clearly a single-step soft bake with the Wolf wafer subjected to a constant amount of infrared radiation over a single period of time.

Serial No. 10/765,481  
Appeal Brief  
Page 10

The present specification provides additional context for the claims such that a thermal unit (e.g., temperature chamber, hot plate, etc.) are cycled to the two different specified temperatures of the two-step soft bake. See Application, page 10, lines 15-22. Plainly, one could not appropriately equate the IR heating of Wolf with the two-step soft bake of the present claims. In sum, in view of the present specification and the plain language of the claims, Appellants believe the Examiner has imposed an incorrect interpretation on the claims in an effort to render the claims anticipated by an IR heating method at constant radiation.

#### *Independent Claim 12*

Independent claim 12 specifically recites "a semiconductor wafer comprising a resist layer without craters at the completion of a two-part soft bake." In contrast, while Wolf refers to the "pinhole concentration" in the resist layer, Wolf does *not* disclose a semiconductor wafer having a resist layer *without craters*. See pages 434-436; Fig. 14. The Examiner cited Fig. 14 of Wolf in support of his assertion that Wolf discloses a resist layer without craters. See Office Action, page 3. However, after careful review of the cited pages of the reference, Appellants emphasize that Wolf fails to even contemplate a semiconductor wafer having a resist layer *without craters*, much less disclose such a wafer. See Wolf, pages 429-437 and 452-453. Indeed, Wolf is absolutely devoid of a wafer having resist with no craters. Therefore, the Wolf reference cannot anticipate the claim 12 for this additional reason.

Serial No. 10/765,481  
Appeal Brief  
Page 11

***Request Withdrawal of Rejection***

In view of these reasons, Appellants respectfully request that the Board direct the Examiner to withdraw the rejection of claims 1-8, 11, and 12 under 35 U.S.C. 102(b), and to allow the claims.

**B. Ground of Rejection No. 2**

Dependent claims 9 and 10 were rejected under 35 U.S.C. 103(a) as being unpatentable over Wolf as applied to claims 1-7 above. Appellants respectfully traverse this rejection.

***Legal Precedent***

The burden of establishing a *prima facie* case of obviousness falls on the Examiner. *Ex parte Wolters and Kuypers*, 214 U.S.P.Q. 735 (PTO Bd. App. 1979). To establish a *prima facie* case, the Examiner must not only show that a modified reference includes *all* of the claimed elements, but also a convincing line of reason as to why one of ordinary skill in the art would have found the claimed invention to have been obvious in light of the teachings of the reference. *See Ex parte Clapp*, 227 U.S.P.Q. 972 (B.P.A.I. 1985). The Examiner must provide objective evidence, rather than subjective belief and unknown authority, of the requisite motivation or suggestion to combine or modify the cited references. *See In re Lee*, 61 U.S.P.Q.2d. 1430 (Fed. Cir. 2002). The Examiner cannot use hindsight reconstruction to pick and choose among isolated disclosures in the

Serial No. 10/765,481  
Appeal Brief  
Page 12

prior art to deprecate the claimed invention. *In re Fine*, 837 F.2d 1071, 5 U.S.P.Q.2d 1596 (Fed. Cir. 1988).

*Claims 9 and 10*

As discussed, Wolf fails to disclose the second soft-bake step recited in independent claim 1. Therefore, dependent claims 9 and 10 are patentable over Wolf by virtue of their dependency on an allowable base claim. Furthermore, as acknowledged by the Examiner, Wolf fails to disclose the specific temperature range and time period recited in claims 9 and 10, respectively. *See Office Action*, pages 4-5; Wolf, pages 429-437 and 452-453. Thus, dependent claims 9 and 10 are also patentable over Wolf because of the subject matter they separately recite.

Further, contrary to the Examiner's assertions, Appellants emphasize that the specific process conditions (i.e., temperature and time) associated with the second soft-bake step, as recited in dependent claims 9 and 10, are *not* obvious. *See Office Action*, pages 4-6. Indeed, without the benefit of the present application, one of ordinary skill in the art would not know to employ a two-step soft-bake, in general, much less a two-step soft-bake that utilizes the process conditions (of the second step) recited in claims 9 and 10. To be sure, Wolf teaches a much different bake timing. Again, the Wolf reference teaches the typical *single-step* soft-bake, does not resolve resist crater formation, and is oblivious to the concept of a *two-step* soft-bake.

)  
Serial No. 10/765,481  
Appeal Brief  
Page 13

)  
Also, contrary to the Examiner's assertions on pages 4-6 of the Final Office Action, the unique results (e.g., no resist craters) associated with the new soft-bake (having a second baking step) with the claimed process conditions are discussed in the present specification. *See, e.g.*, Application, page 9, lines 12-21. Without a doubt, the claimed first-step at a lower temperature combined with the claimed second-step at a higher temperature are discussed in the specification as being important to the invention, i.e., in the reason for and result of inhibiting the formation of resist craters. *See, e.g.*, page 9, line 12 – page 10, line 13.

In view of these reasons, Appellants respectfully request that the Board direct the Examiner to withdraw the foregoing rejection of claims 9 and 10 under 35 U.S.C. § 103(a), and to allow the claims.


Serial No. 10/765,481  
Appeal Brief  
Page 14

Conclusion

Appellants respectfully submit that all pending claims are in condition for allowance. However, if the Examiner or Board wishes to resolve any other issues by way of a telephone conference, the Examiner or Board is kindly invited to contact the undersigned attorney at the telephone number indicated below.

Respectfully submitted,

Date: November 6, 2006

  
\_\_\_\_\_  
Michael G. Fletcher  
Reg. No. 32,777  
FLETCHER YODER  
P.O. Box 692289  
Houston, TX 77269-2289  
(281) 970-4545

Serial No. 10/765,481  
Appeal Brief  
Page 15

8. APPENDIX OF CLAIMS ON APPEAL

Listing of Claims:

1. A method of soft-baking a semiconductor wafer substrate, comprising the acts of:
  - (a) soft-baking a substrate coated with a resist at a first temperature for a first predetermined period of time; and
  - (b) after act (a), soft-baking the substrate coated with the resist at a second higher temperature for a second predetermined period of time.
2. The method, as set forth in claim 1, wherein no resist craters are formed.
3. The method, as set forth in claim 1, wherein during the first predetermined period of time:  
the resist hardens; and  
the air trapped under the resist does not possess sufficient energy to expand through the resist.
4. The method, as set forth in claim 1, wherein during the first predetermined period of time:  
the resist remains fluid;  
air trapped under the resist expands through the resist to the surface; and



Serial No. 10/765,481  
Appeal Brief  
Page 16

the resist flows back to its original conformal shape.

5. The method, as set forth in claim 1, wherein the semiconductor wafer is subjected to a temperature in the range of 30-90 °C during the first predetermined period of time.
6. The method, as set forth in claim 1, wherein the first predetermined period of time is less than 90 seconds.
7. The method, as set forth in claim 1, wherein the first predetermined period of time is more than 90 seconds.
8. The method, as set forth in claim 1, wherein the higher temperature is in the range of 90-150 °C.
9. The method, as set forth in claim 1, wherein the higher temperature is in the range of 100-130 °C.
10. The method, as set forth in claim 1, wherein the second predetermined period of time is less than 90 seconds.

Serial No. 10/765,481  
Appeal Brief  
Page 17

11. The method, as set forth in claim 1, wherein the second predetermined period of time is more than 90 seconds.

12. A semiconductor wafer comprising a resist layer without craters at the completion of a two-part soft bake of the semiconductor wafer.

13. - 28. (Cancelled)

)  
Serial No. 10/765,481  
Appeal Brief  
Page 18

9. EVIDENCE APPENDIX

None.

Serial No. 10/765,481  
Appeal Brief  
Page 19

10. RELATED PROCEEDINGS APPENDIX

None.

12/12/06 TUE 15:23 FAX 281 970 4503

FYV LAW

022



Prepared For  
**MICHAEL G FLETCHER**  
**FLETCHER YODER P.C.**

Account Number

Closing Date  
11/16/06

Page 9 of 21

11/13/06 29 US PATENT TRADEMARK 571-2726500  
10765481 GOVERNMENT SERVICE

VA

MICS 0161

500.00



United States  
Patent and  
Trademark Office



**Deposit Account Statement**

Requested Statement Month: November 2006  
Deposit Account Number: 061315  
Name: FLETCHER, YODER & VAN SOMEREN  
Attention: MICHAEL G FLETCHER  
Address: P O BOX 692289  
City: HOUSTON  
State: TX  
Zip: 77269-2289  
Country: UNITED STATES

DATE	SEQ	POSTING REF TXT	ATTORNEY DOCKET NBR	FEE CODE	AMT	BAL
11/06	4	10797475	TYHC:0147/FLE (P0397R)	1202	\$50.00	\$2,130.00
11/07	24	10244302	ITWO:0042	1252	-\$450.00	\$2,580.00
11/07	25	10244302	ITWO:0042	1401	-\$500.00	\$3,080.00
11/17	162	11526846	TYHC:0135A / FLE / H-NE-0	1202	\$100.00	\$2,980.00
11/20	32	11529827	TYHC:0185A/BAK/H-NE-00149	1202	-\$100.00	\$3,080.00
11/24	1	10870172	14541/YOD ITWO:0075	1251	\$120.00	\$2,960.00
11/24	242	11602887	IP	1201	\$100.00	\$2,860.00
11/29	4	10765481	MICS:0117 (02-1051)	1252	\$330.00	\$2,530.00

START SUM OF  
BALANCE CHARGES  
\$2,180.00 \$700.00

SUM OF END  
REPLENISH BALANCE  
\$1,050.00 \$2,530.00

[Need Help?](#) | [USPTO Home Page](#) | [Finance Online Shopping Page](#)

Document code: WFEE

United States Patent and Trademark Office  
Sales Receipt for Accounting Date: 11/29/2006

TCOLE1 SALE #00000003 Mailroom Dt: 09/06/2006 061315 10765481  
01 FC:1252 330.00 DA

Adjustment date: 01/23/2007 ZJUHA1  
11/29/2006 TCOLE1 00000003 061315 10765481  
01 FC:1252 330.00 CR

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**